

BEST AVAILABLE COPY

EHRHARDT et al.

S.N. 10/070,277

OA September 21, 2005

AMENDMENTS TO THE CLAIMS:

1. (withdrawn) A DNA sequence comprising the coding region of a plant dihydroorotase, wherein the nucleotide sequence of this DNA sequence is SEQ-ID No:1.
2. (withdrawn) A DNA sequence hybridizing with DNA sequence SEQ-ID NO: 1 as claimed in claim 1 or a part thereof or a derivative derived from such a sequence by insertion, deletion or substitution, and encoding a protein which has the biological activity of a dihydroorotase, this DNA sequence having a homology of at least 80% with respect to SEQ ID NO: 1.
3. (withdrawn) A protein with dihydroorotase activity comprising an amino acid sequence which constitutes a SEQ-ID NO: 2 subsequence of at least 100 amino acids.
4. (withdrawn) A protein as claimed in claim 3, which comprises, as amino acid sequence, the subsequence 50-300 from SEQ-ID NO: 2.
5. (withdrawn) A protein as claimed in claim 4, which comprises, as amino acid sequence, the sequence shown in SEQ-ID NO: 2.
6. (withdrawn) The use of a DNA sequence as claimed in claim 1 or of a DNA sequence which has a homology of at least 40% with respect to SEQ ID NO: 1 and which encodes a protein which has the biological activity of a dihydroorotase for being introduced into pro- or eukaryotic cells, this sequence optionally being linked to regulatory elements which ensure transcription and translation in the cells, and this sequence leading to the expression of a translatable mRNA which causes the synthesis of a dihydroorotase.
7. (withdrawn) The use of a DNA sequence as claimed in claim 1 or of a DNA sequence which has a homology of at least 40% with respect to SEQ ID NO: 1 and which encodes a protein which has the biological activity of a dihydroorotase for the generation of an assay system for identifying herbicidally active dihydroorotase inhibitors.

EHRHARDT et al.

S.N. 10/070,277

OA September 21, 2005

BEST AVAILABLE COPY

8. (withdrawn) The use of the DNA sequence SEQ-ID No. 1 encoding a dihydroorotase and of the DNA sequence SEQ ID No. 3 encoding a dihydroorotase dehydrogenase for generating an assay system for identifying herbicidally active dihydroorotase inhibitors.
9. (previously presented) A method for screening herbicidally active substances which inhibit the activity of plant dihydroorotase, which comprises generating, in a first step, dihydroorotase using a DNA sequence of SEQ ID NO: 1 or a DNA sequence having a homology of at least 60% with respect to SEQ ID NO: 1 and which encodes a protein which has the enzymatic activity of a dihydroorotase, and, in a second step, measuring the activity of the plant dihydroorotase in the presence and absence of a test substance.
10. (previously presented) A method as claimed in claim 9, wherein the plant dihydroorotase is measured in a high-throughput screening (HTS) assay.
11. (withdrawn) A method of identifying herbicidally active substances which inhibit the dihydroorotase activity in plants, consisting of the following steps
 - a) the generation of transgenic plants, plant tissues or plant cells which comprise an additional DNA sequence encoding an enzyme with dihydroorotase activity and which are capable of overexpressing an enzymatically active dihydroorotase;
 - b) applying a substance to transgenic plants, plant cells, plant tissues or plant parts and to untransformed plants, plant cells, plant tissues or plant parts;
 - c) determining the growth or the viability of the transgenic and the untransformed plants, plant cells, plant tissues or plant parts after application of the chemical substance; and
 - d) comparing the growth or the viability of the transgenic and the untransformed plants, plant cells, plant tissues or plant parts after application of the chemical substance;

BEST AVAILABLE COPY

EHRHARDT et al.

S.N. 10/070,277

OA September 21, 2005

- where suppression of the growth or the viability of the untransformed plants, plant cells, plant tissues or plant parts without greatly suppressing the growth or the viability of the transgenic plants, plant cells, plant tissues or plant parts confirms that the substance of b) shows herbicidal activity and inhibits the enzyme activity in plants.
12. (withdrawn) An assay system based on the expression of a DNA sequence SEQ-ID No. 1 as claimed in claim 1 or of a DNA sequence having a homology of at least 40% with SEQ ID NO: 1 and which encodes a protein which has the biological activity of a dihydroorotase, for identifying herbicidally active dihydroorotase inhibitors.
 13. (withdrawn) An assay system based on the expression of a DNA sequence SEQ-ID No. 1 and of a DNA sequence SEQ-ID No: 3 for identifying herbicidally active dihydroorotase inhibitors.
 14. (previously presented) An assay system based on the expression of a DNA sequence SEQ ID NO: 1 or a DNA sequence having a homology of at least 60% with SEQ ID NO: 1 and which encodes a protein which has the enzymatic activity of dihydroorotase, for identifying inhibitors of plant dihydroorotase, which comprises incubating the enzyme with a test substrate to be studied and, after a suitable reaction time, determining the enzymatic activity of the enzyme in comparison with the activity of the uninhibited enzyme.
 15. (withdrawn) A plant dihydroorotase inhibitor.
 16. (withdrawn) A plant dihydroorotase inhibitor, identified using an assay system as claimed in claim 12.
 17. (withdrawn) An inhibitor identified as claimed in claim 15 for use as herbicide.
 18. (withdrawn) A method of eliminating undesired vegetation, which comprises treating the

BEST AVAILABLE COPY

EHRHARDT et al.

S.N. 10/070,277

OA September 21, 2005

plant to be eliminated with a compound which specifically binds to, and inhibits the function of, a dihydroorotase encoded by a DNA sequence as claimed in claim 1 or a DNA sequence which has a homology of at least 40% with respect to SEQ ID NO:1 and which encodes a protein which has the biological activity of a dihydroorotase.

19. (new) The method of claim 9 wherein the DNA sequence of SEQ ID NO: 1 encodes a protein which has the enzymatic activity of a dihydroorotase.
20. (new) The method of claim 9, which comprises generating, in the first step, dihydroorotase using the DNA sequence of SEQ ID NO: 1.